### Arizona Department of Water Resources PERMISSION AUTHORIZATION FOR WATER LEVEL MEASUREMENT



I grant permission to ADWR to conduct water level measurements at the following well(s) described

Charles E. Charles

Signature Printed Name

Well ID Location Well ID Location

598675 D-18-20 30CAB 602673 D-24-17 15CCA

I am no longer the owner or lessee of the well(s) described above. The current owner or lessee may be contacted at:

Name:

Address:

City, State, Zip:

Idx.4.247



### Arizona Department of Water Resources Records Management Section 500 N. 3rd Street • Phoenix, Arizona 85004 (602) 417-2405 • (800) 352-8488 www.water.az.gov

### **Pump Installation Completion Report**

<ul> <li>Review instructions prior to completing to</li> <li>The registered well owner should file this following installation of pump equipment</li> </ul>	is report with the s	NOV 2 9 200		D()B	UMBER -20)30D REGISTRATIO 598675	
** PLEASE PRINT CLEARLY **						
SECTION 1. REGISTRY INFORMATION		Information Mana	gement l	<u></u>		
Well Owner	Ų	Location of Well				
FULL NAME OF COMPANY, ORGANIZATION, OR INDIVIDU	JAL	WELL LOCATION ADDRES	S (IF ANY)			
Arizona State Parks		Kartchner Car	zerns Si	tate Par	k	1
MAILING ADDRESS		TOWNSHIP (N/S)   RANGE (E/W	SECTION	160 ACRE	40 ACRE	10 ACRE
1300 W. Washington		18S 20E	30	SE ¼	SE 1/4	NE ¼
CITY/STATE/ZIP CODE		COUNTY ASSESSOR'S PA				1112 /4
		BOOK I	MAP	IDEN (MOGIN	PARCEL	l
Phoenix, AZ 85007		D0011	~~~		TATOLL	ı
CONTACT PERSON NAME AND TITLE	Chift					
Paul Govino Development Sect.	Director	COUNTY WHERE WELL IS	LOCATED			ŀ
"TELEPHONE NUMBER" 1 FAX	. 437	Cochise				
602-542-69484 6>2-54	2-4180	GOCILISC				
002-342-0342	7.00					
SECTION 2. EQUIPMENT INSTALLED						
DATE PUMP INSTALLED	·					
November 2004						
Pump Type CHECK ONE		Power Type				i i
CHECK ONE		CHECK ONE				
☐ Air Lift ☐ Rotary		☐ Diesel Engine		☐ Windi	mill	
☐ Bucket ☑ Submersi	ihle	☑ Electric Motor			(please spe	cifv):
☐ Centrifugal ☐ Turbine	.5.0	Gasoline Engine			On a contract of the	
	ase specify):		,			
		ll Llama				
I —	ase specify).	Hand				l
☐ Piston	ase specily).	☐ Hand ☐ Natural Gas				İ
Piston	ase specily).	☐ Natural Gas	- Watab			
Piston  RATED PUMP CAPACITY	ase specify).	Natural Gas				
Piston	Gallons Per Minute	☐ Natural Gas				
Piston  RATED PUMP CAPACITY		Natural Gas				
Piston  RATED PUMP CAPACITY		Natural Gas				
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST	Gallons Per Minute	Natural Gas HORSE POWER RATING C	D	of Measur	ing Wate	r Level
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data  M	Gallons Per Minute	Natural Gas	D	of Measur	ing Wate	r Level
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data DATE WELL TESTED  CI	Gallons Per Minute  lethod of Dischar  HECK ONE	Natural Gas HORSE POWER RATING C	Method CHECK ON	E	ing Wate	r Level
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data DATE WELL TESTED October 15, 2004	Gallons Per Minute  lethod of Dischal  HECK ONE  Bailer	Natural Gas Horse Power Raming of 10 hr	Method CHECK ON	ine ine		
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data DATE WELL TESTED October 15, 2004  STATIC WATER LEVEL (A)	Gallons Per Minute  lethod of Dischar  HECK ONE  Bailer  Bucket — Barrel	Natural Gas Horse Power Raming of 10 hr	Method CHECK ON Air L	e ine tric Measur		
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data DATE WELL TESTED October 15, 2004  STATIC WATER LEVEL (A) 398,4 Feet Below Land Surface	Gallons Per Minute  lethod of Dischar HECK ONE Bailer Bucket – Barrel Current	Natural Gas HORSE POWER RATING C 10 hr	Method CRECK ON Air L X Elect	e ine tric Measur I Tape	ing Line (	
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data DATE WELL TESTED October 15, 2004 STATIC WATER LEVEL (A) 398.4 Feet Below Land Surface PUMPING WATER LEVEL (B)	Gallons Per Minute  lethod of Dischar  HECK ONE  Bailer  Bucket – Barrel  Current  Estimated – Air	Natural Gas HORSE POWER RATING C 10 hr	Method CRECK ON Air L X Elect	e ine tric Measur	ing Line (	
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data  DATE WELL TESTED  October 15, 2004  STATIC WATER LEVEL (A)  398.4 Feet Below Land Surface  PUMPING WATER LEVEL (B)  403.5 Feet Below Land Surface	Gallons Per Minute  lethod of Dischar  HECK ONE  Bailer  Bucket – Barrel  Current  Estimated – Air  Gauge	Natural Gas HORSE POWER RATING C 10 hr	Method CRECK ON Air L X Elect	e ine tric Measur I Tape	ing Line (	
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data DATE WELL TESTED October 15, 2004  STATIC WATER LEVEL (A) 398.4 Feet Below Land Surface PUMPING WATER LEVEL (B) 403.5 Feet Below Land Surface DRAWBOWN (B) -(A)	Gallons Per Minute  Rethod of Dischar HECK ONE  Bailer Bucket – Barrel Current Estimated – Air Gauge Meter	Natural Gas HORSE POWER RATING C 10 hr	Method CRECK ON Air L X Elect	e ine tric Measur I Tape	ing Line (	
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data  DATE WELL TESTED  October 15, 2004  STATIC WATER LEVEL (A)  398.4 Feet Below Land Surface  PUMPING WATER LEVEL (B)  403.5 Feet Below Land Surface  DRAWDOWN [(B) -(A)]  5 Feet Below Land Surface	Gallons Per Minute  lethod of Dischar  RECK ONE  Bailer  Bucket – Barrel  Current  Estimated – Air  Gauge  Meter  Orifice	Natural Gas HORSE POWER RATING C 10 hr	Method CRECK ON Air L X Elect	e ine tric Measur I Tape	ing Line (	
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data  DATE WELL TESTED  October 15, 2004  STATIC WATER LEVEL (A)  398.4 Feet Below Land Surface  PUMPING WATER LEVEL (B)  403.5 Feet Below Land Surface  DRAWDOWN [(B) -(A)]  5 Feet Below Land Surface	Gallons Per Minute  lethod of Dischar HECK ONE Bailer Bucket – Barrel Current Estimated – Air Gauge Meter Orifice Volume	Natural Gas HORSE POWER RATING C 10 hr	Method CRECK ON Air L X Elect	e ine tric Measur I Tape	ing Line (	
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data  DATE WELL TESTED  October 15, 2004  STATIC WATER LEVEL (A)  398.4 Feet Below Land Surface  PUMPING WATER LEVEL (B)  403.5 Feet Below Land Surface  DRAWDOWN (B) -(A))  5 Feet Below Land Surface  TEST PUMPING RATE  6.0 Gallons Per Minute	Gallons Per Minute  lethod of Dischar  RECK ONE  Bailer  Bucket – Barrel  Current  Estimated – Air  Gauge  Meter  Orifice	Natural Gas HORSE POWER RATING C 10 hr	Method CRECK ON Air L X Elect	e ine tric Measur I Tape	ing Line (	
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data  DATE WELL TESTED  October 15, 2004  STATIC WATER LEVEL (A)  398.4 Feet Below Land Surface  PUMPING WATER LEVEL (B)  403.5 Feet Below Land Surface  DRAWDOWN [(B) -(A)]  5 Feet Below Land Surface	Gallons Per Minute  lethod of Dischar HECK ONE Bailer Bucket – Barrel Current Estimated – Air Gauge Meter Orifice Volume	Natural Gas  HORSE POWER RATING C  10 hr  True Measurement  - Stopwatch  Lift	Method CRECK ON Air L X Elect	e ine tric Measur I Tape	ing Line (	
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data  DATE WELL TESTED  October 15, 2004  STATIC WATER LEVEL (A)  398.4 Feet Below Land Surface  PUMPING WATER LEVEL (B)  403.5 Feet Below Land Surface  DRAWDOWN ((B) -(A))  5 Feet Below Land Surface  TEST PUMPING RATE  6.0 Gallons Per Minute  DURATION OF PUMP TEST (Minimum 4 Hours)  4.5 Hours	Gallons Per Minute  Rethod of Dischar  RECK ONE  Bailer  Bucket – Barrel  Current  Estimated – Air  Gauge  Meter  Orifice  Volume  Weir – Flume	Natural Gas  HORSE POWER RATING C  10 hr  True Measurement  - Stopwatch  Lift	Method CRECK ON Air L X Elect	e ine tric Measur I Tape	ing Line (	
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data  DATE WELL TESTED  October 15, 2004  STATIC WATER LEVEL (A)  398.4 Feet Below Land Surface  PUMPING WATER LEVEL (B)  403.5 Feet Below Land Surface  DRAWDOWN (B) -(A)]  5 Feet Below Land Surface  TEST PUMPING RATE  6.0 Gallons Per Minute  DURATION OF PUMP TEST (Minimum 4 Hours)	Gallons Per Minute  Rethod of Dischar  RECK ONE  Bailer  Bucket – Barrel  Current  Estimated – Air  Gauge  Meter  Orifice  Volume  Weir – Flume	Natural Gas  HORSE POWER RATING C  10 hr  True Measurement  - Stopwatch  Lift	Method CRECK ON Air L X Elect	e ine tric Measur I Tape	ing Line (	
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data  DATE WELL TESTED  October 15, 2004  STATIC WATER LEVEL (A)  398.4 Feet Below Land Surface  PUMPING WATER LEVEL (B)  403.5 Feet Below Land Surface  DRAWDOWN ((B) -(A))  5 Feet Below Land Surface  TEST PUMPING RATE  6.0 Gallons Per Minute  DURATION OF PUMP TEST (Minimum 4 Hours)  4.5 Hours	Gallons Per Minute  Rethod of Dischar  RECK ONE  Bailer  Bucket – Barrel  Current  Estimated – Air  Gauge  Meter  Orifice  Volume  Weir – Flume	Natural Gas  HORSE POWER RATING C  10 hr  True Measurement  - Stopwatch  Lift	Method CRECK ON Air L Stee Othe	E ine tric Measur I Tape r (please spe	ing Line (	Sounder)
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data  DATE WELL TESTED  October 15, 2004  STATIC WATER LEVEL (A)  398.4 Feet Below Land Surface  PUMPING WATER LEVEL (B)  403.5 Feet Below Land Surface  DRAWDOWN [(B) -(A)]  5 Feet Below Land Surface  TEST PUMPING RATE  6.0 Gallons Per Minute  DURATION OF PUMP TEST (Minimum 4 Hours)  4.5 Hours  TOTAL PUMPING LIFT	Gallons Per Minute  Rethod of Dischar  RECK ONE  Bailer  Bucket – Barrel  Current  Estimated – Air  Gauge  Meter  Orifice  Volume  Weir – Flume	Natural Gas  HORSE POWER RATING C  10 hr  True Measurement  - Stopwatch  Lift	Method CRECK ON Air L Stee Othe	E ine tric Measur I Tape r (please spe	ing Line (	Sounder)
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data  DATE WELL TESTED  October 15, 2004  STATIC WATER LEVEL (A)  398.4 Feet Below Land Surface  PUMPING WATER LEVEL (B)  403.5 Feet Below Land Surface  DRAWDOWN [(B) -(A)]  5 Feet Below Land Surface  TEST PUMPING RATE  6.0 Gallons Per Minute  DURATION OF PUMP TEST (Minimum 4 Hours)  4.5 Hours  TOTAL PUMPING LIFT  403.5 Feet	Gallons Per Minute  Rethod of Dischar  RECK ONE  Bailer  Bucket – Barrel  Current  Estimated – Air  Gauge  Meter  Orifice  Volume  Weir – Flume	Natural Gas  HORSE POWER RATING C  10 hr  True Measurement  - Stopwatch  Lift	Method CRECK ON Air L Stee Othe	e ine tric Measur I Tape	ing Line (	Sounder)
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data  DATE WELL TESTED  October 15, 2004  STATIC WATER LEVEL (A)  398.4 Feet Below Land Surface  PUMPING WATER LEVEL (B)  403.5 Feet Below Land Surface  DRAWDOWN [(B) -(A)]  5 Feet Below Land Surface  DRAWDOWN [(B) -(A)]  5 Feet Below Land Surface  DRAWDOWN [(B) -(A)]  5 Feet Below Land Surface  DURATION OF PUMP TEST (Minimum 4 Hours)  4.5 Hours  TOTAL PUMPING LIFT  403.5 Feet  FOR FLOWING WELL.	Gallons Per Minute  Rethod of Dischar  RECK ONE  Bailer  Bucket – Barrel  Current  Estimated – Air  Gauge  Meter  Orifice  Volume  Weir – Flume	Natural Gas  HORSE POWER RATING C  10 hr  True Measurement  - Stopwatch  Lift	Method CRECK ON Air L Stee Othe	E ine tric Measur I Tape r (please spe	ing Line (	Sounder)
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data  DATE WELL TESTED  October 15, 2004  STATIC WATER LEVEL (A)  398.4 Feet Below Land Surface  PUMPING WATER LEVEL (B)  403.5 Feet Below Land Surface  DRAWDOWN [(B) -(A)]  5 Feet Below Land Surface  DRAWDOWN [(B) -(A)]  5 Feet Below Land Surface  DRAWDOWN [(B) -(A)]  5 Feet Below Land Surface  DURATION OF PUMP TEST (Minimum 4 Hours)  4.5 Hours  TOTAL PUMPING LIFT  403.5 Feet  FOR FLOWING WELL.	Gallons Per Minute  Rethod of Dischar  RECK ONE  Bailer  Bucket – Barrel  Current  Estimated – Air  Gauge  Meter  Orifice  Volume  Weir – Flume	Natural Gas  HORSE POWER RATING C  10 hr  True Measurement  - Stopwatch  Lift	Method CRECK ON Air L Stee Othe	E ine tric Measur I Tape r (please spe	ing Line (	Sounder)
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data DATE WELL TESTED October 15, 2004  STATIC WATER LEVEL (A) 398.4 Feet Below Land Surface PUMPING WATER LEVEL (B) 403.5 Feet Below Land Surface DRAWDOWN (B) -(A)] 5 Feet Below Land Surface DRAWDOWN (B) -(A)] 10 Gallons Per Minute DURATION OF PUMP TEST (Minimum 4 Hours) 4.5 Hours TOTAL PUMPING LIFT 403.5 Feet FOR FLOWING WELL, MEASURED SHUT IN HEAD	Gallons Per Minute  Rethod of Dischar  RECK ONE  Bailer  Bucket – Barrel  Current  Estimated – Air  Gauge  Meter  Orifice  Volume  Weir – Flume  Other (please spe	Natural Gas  HORSE POWER RATING C  10 hr  True Measurement  - Stopwatch  Lift	Method CRECK ON Air L Stee Othe	ine tric Measur Tape r (please spe	ing Line (	Sounder)
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data  DATE WELL TESTED  October 15, 2004  STATIC WATER LEVEL (A)  398.4 Feet Below Land Surface  PUMPING WATER LEVEL (B)  403.5 Feet Below Land Surface  DRAWDOWN [(B) -(A)]  5 Feet Below Land Surface  DRAWDOWN [(B) -(A)]  5 Feet Below Land Surface  DRAWDOWN [(B) -(A)]  5 Feet Below Land Surface  DURATION OF PUMP TEST (Minimum 4 Hours)  4.5 Hours  TOTAL PUMPING LIFT  403.5 Feet  FOR FLOWING WELL, FT  MEASURED SHUT IN HEAD PSI	Gallons Per Minute  Rethod of Dischar  RECK ONE  Bailer  Bucket – Barrel  Current  Estimated – Air  Gauge  Meter  Orifice  Volume  Weir – Flume  Other (please spe	Natural Gas  HORSE POWER RATING C  10 hr  True Measurement  - Stopwatch  Lift	Method CRECK ON Air L Stee Othe	ine tric Measur Tape r (please spe	ing Line (	Sounder)
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data DATE WELL TESTED October 15, 2004  STATIC WATER LEVEL (A) 398.4 Feet Below Land Surface PUMPING WATER LEVEL (B) 403.5 Feet Below Land Surface DRAWDOWN (B) -(A)] 5 Feet Below Land Surface DRAWDOWN (B) -(A)] 10 Gallons Per Minute DURATION OF PUMP TEST (Minimum 4 Hours) 4.5 Hours TOTAL PUMPING LIFT 403.5 Feet FOR FLOWING WELL, MEASURED SHUT IN HEAD	Gallons Per Minute  Rethod of Dischar  RECK ONE  Bailer  Bucket – Barrel  Current  Estimated – Air  Gauge  Meter  Orifice  Volume  Weir – Flume  Other (please spe	Natural Gas  HORSE POWER RATING C  10 hr  True Measurement  - Stopwatch  Lift	Method CRECK ON Air L Stee Othe	ine tric Measur Tape r (please spe	ing Line (	Sounder)
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data  DATE WELL TESTED  October 15, 2004  STATIC WATER LEVEL (A)  398.4 Feet Below Land Surface  PUMPING WATER LEVEL (B)  403.5 Feet Below Land Surface  DRAWDOWN [(B) -(A)]  5 Feet Below Land Surface  DRAWDOWN [(B) -(A)]  TEST PUMPING RATE  6.0 Gallons Per Minute  DURATION OF PUMP TEST (Minimum 4 Hours)  4.5 Hours  TOTAL PUMPING LIFT  403.5 Feet  FOR FLOWING WELL, FT  MEASURED SHUT IN HEAD PSI	Gallons Per Minute  Rethod of Dischar  RECK ONE  Bailer  Bucket – Barrel  Current  Estimated – Air  Gauge  Meter  Orifice  Volume  Weir – Flume  Other (please spe	Natural Gas  HORSE POWER RATING C  10 hr  True Measurement  - Stopwatch  Lift	Method CRECK ON Air L Stee Othe	ine tric Measur Tape r (please spe	ing Line (	Sounder)
Piston  RATED PUMP CAPACITY  16.0  SECTION 3. PUMP TEST  Pump Test Data  DATE WELL TESTED  October 15, 2004  STATIC WATER LEVEL (A)  398.4 Feet Below Land Surface  PUMPING WATER LEVEL (B)  403.5 Feet Below Land Surface  DRAWDOWN [(B) -(A)]  5 Feet Below Land Surface  DRAWDOWN [(B) -(A)]  5 Feet Below Land Surface  DRAWDOWN [(B) -(A)]  5 Feet Below Land Surface  DURATION OF PUMP TEST (Minimum 4 Hours)  4.5 Hours  TOTAL PUMPING LIFT  403.5 Feet  FOR FLOWING WELL, FT  MEASURED SHUT IN HEAD PSI	Gallons Per Minute  Rethod of Dischar  RECK ONE  Bailer  Bucket – Barrel  Current  Estimated – Air  Gauge  Meter  Orifice  Volume  Weir – Flume  Other (please spe	Natural Gas  HORSE POWER RATING C  10 hr  True Measurement  - Stopwatch  Lift	Method CRECK ON Air L Stee Othe	ine tric Measur Tape r (please spe	ing Line (	Sounder)

### ARIZONA DEPARTMENT OF WATER RESOURCES

Records Management Section 500 N. 3rd Street \* Phoenix, Arizona 85004 (602) 417-2405 \* (800) 352-8488 www.water.az.gov

SEP - 3 2003

Paragraph P

### Well Driller Report and Well Log

Review instructions prior to completing form

This report should be prepared by the driller in detail and filed with the Department within 30 days following completion of the well. FILE NUMBER
D(18-20) 30 DDA
WELL REGISTRATION NUMBER
55-598675
PERMIT NUMBER ( IF ISSUED )

\*\* PLEASE PRINT CLEARLY \*\*

SECTION () REGISTRY INFO		Participal probabilities in	Nepaggar datasa k		L		
Well Owner							
FULL NAME OF COMPANY, ORGANIZATION OR II	<u>III (1888) III (1888)</u>	WELL LOCATION	Of VV	ell SS (IF KNOWN)	etelegajente		
ARIZONA STATE PARKS		KARTCHN	ER CA	VERNS STATE	PARK		
MAILING ADDRESS		TOWNSHIP (N/S)			160 ACRE	I 40 ACRE	I 10 ACRE
1300 W WASHINGTON		18 \$		)E 30	SE 1/4		<sup></sup>
CITY / STATE / ZIP		LATITUDE		<u> </u>	LONGITUDE	1374	1/4
PHOENIX, AZ 85007		٥		' *N		,	"W
CONTACT PERSON NAME AND TITLE		LAND SURFACE	ELEVATION	ON AT WELL			
TELEPHONE NUMBER		METHOD OF LA	TITUDE /I	ONGITUDE (CHECK C	MITA	Faet Abo	ove Sea Level
1602-542-6942	x	l					Hand-Held
002 012 0012		USGS Qu	•	Conventional S	Survey	GPS:	Survey-Grade
		BOOK ASSE	SSOR'S P	ARCEL ID NUMBER			
•	•		C	) MAP	0	PARCEL	
		COUNTY WHER	E WELL I	S LOCATED			
		COCHISE					
SECTION 2. DRILLING AUTHO	RIZATION				Liste his last status in Grado	California de la compansión de la compan	
Orilling Firm							
NAME	The second secon	j I .					
B-J DRILLING COMPANY, INC.	<u> </u>						
DWR LICENSE NUMBER 25							
TELEPHONE NUMBER FAX							
520-586-3282		. <u>.</u> .					
		l					•
SECTION 3 WELL CONSTRUC	TION DETAILS					National Superior Section 1	
DATE WELL CONSTRUCTION STARTED 07/09/2003	DATE WELL CONSTRUCTION C 07/11/2003	OMPLETED	IF	FLOWING WELL, M	ETHOD OF FLO	OW REGULATIO	N
					Other		"
Drill Method	Method of Well Devi	elopment	7	Method of Se		-duction E	inia.
CHECK ONE	CHECK ONE					-uuvuun F	Unus
☑ Air Rotary			.	CHECK ON	-		
Bored or Augered	⊠ Airlift □ Bail	e e e		∐ None			
☐ Cable Tool	Surge Back			⊢ Packe			
Dual Rotary	Surge Back Surge Pump			∐ Swedg			
☐ Mud Rotary				⊢ Welde			
☐ Reverse Circulation	U Other (please sp	есіту)		IXJ Other	(please sp	ecify)	
☐ Driven				PORTLAN	D CEMENT	-	Ì
☐ Jetted			EN MERCONIA				
Air Percussion / Odex Tubing	Water Level Informal	uon				***************************************	
Other (please specify)	000	Below Land Sur	faco				
~ · · · · · · · · · · · · · · · · · · ·	DATE MEASURED	JOHN LANG SUF	ace				
	7/11/03		!				

ANSWERED SEP - 5 2013

SECTION 4. WELL CONSTRUCTION DESIGN (AS BUILT) (attach additional page if needed)

	Borehole						Kara i		Installed Cas	inc						
1	FROM		DEPTH	FACE		M.	ATE	RIA	LITYPE (X)	P	ERF	OF	ATI	ON	TYPE (X)	
FROM (feat)	TO (feet)	BOREHOLE DIAMETER (inches)	FROM (feet)	TO (feet)	OUTER DIAMETER (inches)	STEEL	PVC	ABS	IF OTHER TYPE, DESCRIBE	BLANK OR NONE	WIRE WRAP	SHUTTER SCREEN	MILLS KNIFE	SLOTTED	IF OTHER TYPE, DESCRIBE	SLOT SIZE IF ANY (inches)
0	20	14 3/4	+1	20	10 3/4	Х					_	_				
20	465	10	0	385	7	X										
			385	465	7	X								X		/1/8x3x16/ft
							$\dashv$	_								

•									Installed Annular Material AR MATERIAL TYPE (X)			
	FROM						ΑN	ΝŲ	AR MATERIAL TYPE (X)		Yar.	FILTER PACK
-	T	-		K F	<u></u>	BE	MOTV	JITE				
FROM (feet)	TO (feet)	NONE	CONCRETE	NEAT CEMENT	CEMENT-BENTONITE GROUT	GROUT	CHIPS	PELLETS	IF OTHER TYPE OF ANNULAR MATERIAL, DESCRIBE	SAND	GRAVEL	SIZE
0	20			>	1							
								1				
									ANSWERED SEP - 5 2003			
								1				
				-	_	-	$\perp$	$\perp$				
					$\perp$							

DESTRUCTION OF THE PROPERTY OF			
DEPTH OF BORING			
		DEDTH OF COMPLETED WELL	
		DEPTH OF COMPLETED WELL	
	Feet Below Land Surface	465	
		100	Feet Below Land Surface
)WR-55-55B-10/01 (Rev.)			. Tot Bolow Land Sunace

### Well Driller Report and Well Log

WELL REGISTRATION NUMBER **55-** 598675

			90013
SECTION	5. GEOLOG	IC LOG OF WELL	
DEPTH FRO	DM SURFACE	DESCRIPTION	Check (X) every
FROM (feet)	TO (feet)	Describe material, grain size, color, etc.	interval where wa was encountered
0	12	SAND, GRAVEL, COBBLES	
12	65	CLAYEY SAND	400' TO 425'
65	420	POORLY CEMENTED SANDS AND GRAVELS	SATURATED SEDIMENTS
420	465	GRANITE - DRILLING SMOOTH & V HARD - NO NOTICEABLE FRACTURING	

DWR 55-56-10/01 (REV) page 3 0f 4

### Well Driller Report and Well Log

WELL REGISTRATION NUMBER

55- 598675

				<del></del>	-		
SECTION 6. WELL SITE PLAN			Will Sile	High all the	IQ II		W.
NAME OF WELL OWNER	COUNTY	ASSESSOR'S PAR	RCEL (E	NUMBER	AND MESSES		ANEXE
ARIZONA STATE PARKS	воок	0	MAP		0	PARCEL	
							i

- Please draw the following: (1) the boundaries of property on which the well was located; (2) the proposed well location; (3) the locations of all septic tank systems and sewer systems on the property or within 100 feet of the well location, even if on neighboring properties; and (4) any permanent structures on the property that may aid in locating the well.
- Please indicate the distance between the well location and any septic tank system or sewer system.

W S

SEE COUNTY RECORDS OR COUNTY HEALTH DEPARTMENT FOR PLOT DRAWING

.1" = \_\_\_\_\_ft

I state that this notice is filed in compliance with A.R.S. § 45-596 and is complete and correct to the best of my knowledge and belief.

DRILLING BIBMORILLING COMPANY

SIGNATURE OF QUALIFYING PARTY

2WR-55-55 (Rev. 10/11/01)

SIGNATURE OF QUALIFYING PARTY

DATE 8/15/83

	Review Sheet	for Notices of Intention (NOI) t	o Drill or Abandon Wells (Updated 05/13/2003)
Well	Owner Name AZ S	Hate Parlis	5-22-43
Well	Location X18-20	)30DDA	Date 5-22-03 Well Registration Number 55-598675
M	Permission has been g	ranted to drill, deepen, replace, mo	dify or abandon the well indicated on the attached NOI.
	however, special well boundary of a groundwa ADWR website at http: areas of groundwater co federal, state, county or The checked special well be special well by the checked special well by the check	//www.water.az.gov/ for further info ntamination". Please be aware that local water quality standards. ell drilling requirements apply to t ial Requirements (applies to contain pecial Requirements	rements apply since the proposed well is located near or within the special requirements or visit the ADWR "WQARF" homepage on the innation on "Special well drilling requirements for wells located withing roundwater produced from the proposed well may not meet applicable the indicated well (see attachments):  nination areas not covered by site-specific requirements)
	Yuma Marine ( Well Abandonn	Corps Air Station Special Requiren nent Handbook (see Standard Met	nents 10d or Alternatives 2 or 3)
			ell indicated on the attached NOI for the following reasons(s):
	will for tone	any changes indicated below) and a	is being returned to you. You must resubmit this review sheet, the check for the appropriate fee, which is \$
	vii Hot loomted within a	reased on May 7, 2003. The approper AMA or INA, the fee is \$50 if the yof not more than 35 gallons per min	riate filing fee for a well located within an AMA or INA is \$150. For a well will be used solely for domestic purposes and will have a pump ute. Otherwise the fee is \$150.
	County or local health of	ficial endorsement and approval is re	quired but was not provided.
	Insufficient information certification form if well	to determine if well meets 100-foot meets 100-foot minimum set-back re	setback requirement. Well owner must sign and return the attached quirement.
	Incomplete or incorrect w	rell location information.	
	Incomplete or incorrect w	ell owner information.	
	Land owner permission to	drill letter is required.	
	Proposed well is located v petroleum storage area or	vithin 100 feet of a septic system, sev tank.	ver disposal area, landfill, hazardous waste materials or
	Well driller information in	complete.	
	Well driller is not currently	y licensed with ADWR and/or the Re	gistrar of Contractors.
	Well construction informa and type of casing (if appl	tion is incomplete, you must include icable).	design pump capacity (if applicable), well depth, well diameter
	Well abandonment inform Well Abandonment Handb	nation is incomplete, you must inclusions)	de information on proposed well abandonment design (see ADWR
	Well owner or landowner i	nformation and/or signature incompl	ete or incorrect.
	Variance request has not be	een granted. Explanation:	
	Other		
	If permission to drill or deficiencies and resubmit stated above, no addition corrected NOI. The origi the required information	r abandon the specified well has the corrected NOI form, this revi al fees are required to resubmit the nal NOI file will not be reviewed w	not been granted, please correct all indicated errors and/or ew sheet, and any attachments (if applicable) to ADWR. Unless his NOI. Be sure to submit all necessary information with your hen ADWR reviews your corrected NOI. You must resubmit all of file a new NOI with a new fee. Note: If you do not have the
	Mail resubmittals to:	ADWR Hydrology Division NOI PO Box 1390 Phoenix Arizona 85004	-Resubmittals Section


☐ 55Update



### **Arizona Department of Water Resources** Water Management Support Section P.O. Box 458 • Phoenix, Arizona 85001-0458 (602) 417-2470 • (800) 352-8488 www.water.az.gov

Notice of Intent to Drill, Deepen, Replace or Modify a Well

(except a Non-Exempt Well in an Active Management Area)



Review instructions prior to completing form in black or blue ink.

You must include with your Notice:

Check or money order in the amount of the appropriate filing fee. For a well located within an AMA or INA, the fee is \$150.00. For a well not located within an AMA or INA, the fee is \$50.00 if the well will be used solely for domestic purposes (see page 2 and instructions) and will have a pump with a maximum capacity of not more than 35 gallons per minute. Otherwise, the fee is \$150.00. Authority for fee: A.R.S. § 45-596.

•	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		101	100.	 v. 3	~	· • • • • • • • • • • • • • • • • • • •
**	DI E/	CE		TIAIC		DI '	V **

PLEASE PRINT CLEAR	LY					
		and the same of th			11.11.11.11	
If water from the proposed well wi	Il be used for domestic purposes on a pan	cel of land of 5 or	fewer acres, the app	olicable county	or local heal	th authority
CHECK ONE	1 before submission to the Department of					
	therity December to the collection	ייף	ficial County of	Lacarbea	For Statut	•
(pursuant to A.R.S. § 4	thority Recommends Approval		U)	. <del></del>	- 111 111	
Field Inspection f		1	וטו		111 111	
Site Plan Review		l i	MAY :	2 0 2003	ושוו	
Insufficient Information to	•	1	ייש עטייי	_ 0 2000		
COUNTY OR LOCAL AUTHO		- 1			_1	
COUNTY ON LOCAL AUTHO	RIT MAME AND TILE	1				
TELEPLANE NUMBER	LDATE		PHOE	NIX AMA		
TELEPHONE NUMBER	DATE	COUNTYON	LOCAL AUTHOR	HTY GIGNAT	URE	
	en i en i en i en i en in en en en en indicata en	San Yinn bath bir kodol	s the content of the content of the	T dik for 7 ft f liv Tide	Colored to the desired the second to	010 - 11 F T T T T T T T T T T T T T T T T T
ATABLE NEWS TO SERVE SERVE						
CHECK ONE	CHECK ONE	l	ADDRESS (IF ANY)			
	🔼 Drill New Well	Kartcha	IER CAYE	RNS S	TATE .	PARK
(Pump has a maximum capacity	☐ Deepen	TOWNSHIP (N/S) RA	NGE (E/W)   SECTION	160 ACRE	40 ACRE	10 ACRE
of not more than 35 gpm and	Replace	182	202 30	SE4	SE 14	NE 4
water is not used for irrigation purposes inside an AMA.)	☐ Modify		SOR'S PARCEL ID NU		19-7	1 7 7 - 17
(See Instructions.)	If Deepening, Replacing or Modifying:	воок	MAP	PARCEL	1 # OF	ACRES
☐ Non-Exempt	ORIGINAL WELL REGISTRATION NUMBER	ł			"-"	
(Pump has a maximum capacity						
of more than 35 gpm or water is	55 - MAXIMUM CAPACITY OF ORIGINAL WELL		ER USE (ONLY IF DIFF NGE (E/W)   SECTION			
						10 ACRE
used for imigation purposes inside		TOTALISTIC (143) ITS	NGE (EW) SECTION	160 ACRE	40 ACRE	10710112
an AMA.) (See Instructions.)	Gallons Per Minute			160 ACRE	14 1/4	1/4
an AMA.) (See Instructions.) DESIGN PUMP CAPACITY			WELL IS LOCATED			
an AMA.) (See Instructions.)	Gallons Per Minute					
an AMA.) (See Instructions.) DESIGN PUMP CAPACITY	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL					
an AMA.) (See Instructions.) DESIGN PUMP CAPACITY  3 O Gallons Per Minute	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL					
an AMA.) (See Instructions.) DESIGN PUMP CAPACITY  3 O Gallons Per Minute	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL Feet	COUNTY WHERI	EWELL IS LOCATED	1/4	1/4	1/4
an AMA.) (See Instructions.) DESIGN PUMP CAPACITY  3 O Gallons Per Minute  FULL NAME OF COMPANY, ORGANIE	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL Feet  ZATION, OR INDIVIDUAL	COUNTY WHERI	EWELL IS LOCATED	1/4	1/4	1/4
an AMA.) (See Instructions.) DESIGN PUMP CAPACITY  3.0 Gallons Per Minute  FULL NAME OF COMPANY, ORGANE  A.2. STATE PARKS	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL Feet  ZATION, OR INDIVIDUAL	COUNTY WHERI	EWELL IS LOCATED	1/4	1/4	1/4
an AMA.) (See Instructions.) DESIGN PUMP CAPACITY  3 O Gallons Per Minute  FULL NAME OF COMPANY, ORGANIE	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL Feet  ZATION, OR INDIVIDUAL	COUNTY WHERI	EWELL IS LOCATED	1/4	1/4	1/4
an AMA.) (See Instructions.) DESIGN PUMP CAPACITY  3 O Gallons Per Minute  FULL NAME OF COMPANY, ORGANIC  AZ STATE PARKS  MAILING ADDRESS	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL Feet  ZATION, OR INDIVIDUAL	COUNTY WHERI	EWELL IS LOCATED	1/4	1/4	1/4
an AMA.) (See Instructions.) DESIGN PUMP CAPACITY  3.0 Gallons Per Minute  FULL NAME OF COMPANY, ORGANE  A.2. STATE PARKS	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL Feet  ZATION, OR INDIVIDUAL	COUNTY WHERI	EWELL IS LOCATED  DOMPANY, GOVERNM  SS	1/4	1/4	1/4
an AMA.) (See Instructions.) DESIGN PUMP CAPACITY  30 Gallons Per Minute  FULL NAME OF COMPANY, ORGANIC  AZ STATE PARKS  MAILING ADDRESS  1300 W. Wash	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL Feet  ZATION, OR INDIVIDUAL	COUNTY WHERE FULL NAME OF C	EWELL IS LOCATED  DOMPANY, GOVERNM  SS	1/4	1/4	1/4
an AMA.) (See Instructions.) DESIGN PUMP CAPACITY  3 O Gallons Per Minute  FULL NAME OF COMPANY, ORGANIC  AZ STATE PARKS  MAILING ADDRESS	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL Feet  ZATION, OR INDIVIDUAL	FULL NAME OF C	EWELL IS LOCATED  DOMPANY, GOVERNM  SS	1/4	1/4	1/4
ANA.) (See Instructions.) DESIGN PUMP CAPACITY  30 Gallons Per Minute  FULL NAME OF COMPANY, ORGANIC  AZ STATE PAR K.S.  MAILING ADDRESS  1300 W. Wash  CITY/STATE/ZIP CODE  L DE N 1 X A Z  CONTACT PERSON NAME AND TITL	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL Feet  ZATION, OR INDIVIDUAL  85007	FULL NAME OF C	EWELL IS LOCATED  UE AND TAKEN  SS  P CODE	1/4	1/4	1/4
ANA.) (See Instructions.) DESIGN PUMP CAPACITY  30 Gallons Per Minute  FULL NAME OF COMPANY, ORGANIC  AZ STATE PAR K.S.  MAILING ADDRESS  1300 W. Wash  CITY/STATE/ZIP CODE  L DE N 1 X A Z  CONTACT PERSON NAME AND TITL	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL Feet  ZATION, OR INDIVIDUAL  85007	FULL NAME OF CONTACT PERS	EWELL IS LOCATED  WELL IS LOCATED  ON PANY, GOVERNM  SS  P CODE  ON NAME AND TITLE	1/4 LENT AGENCY,	1/4	1/4
ANA.) (See Instructions.) DESIGN PUMP CAPACITY  30 Gallons Per Minute  FULL NAME OF COMPANY, ORGANIC  AZ STATE PARKS  MAILING ADDRESS  1300 W. Wash  CITY/STATE/ZIP CODE  LOCALINA  CONTACT PERSON NAME AND TITLE  TELEPHONE NUMBER	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL Feet  ZATION, OR INDIVIDUAL  N9TON 85007 E Froie CT Manager	FULL NAME OF C	EWELL IS LOCATED  WELL IS LOCATED  ON PANY, GOVERNM  SS  P CODE  ON NAME AND TITLE	1/4	1/4	1/4
ANA.) (See Instructions.) DESIGN PUMP CAPACITY  30 Gallons Per Minute  FULL NAME OF COMPANY, ORGANIC  AZ STATE PARKS  MAILING ADDRESS  1300 W. Wash  CITY/STATE/ZIP CODE  LOCALINA  CONTACT PERSON NAME AND TITLE  TELEPHONE NUMBER	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL Feet  ZATION, OR INDIVIDUAL  85007	FULL NAME OF CONTACT PERS	EWELL IS LOCATED  WELL IS LOCATED  ON PANY, GOVERNM  SS  P CODE  ON NAME AND TITLE	1/4 IENT AGENCY,	1/4	1/4
an AMA.) (See Instructions.) DESIGN PUMP CAPACITY  30 Gallons Per Minute  FULL NAME OF COMPANY, ORGANI AZ STATE PARKS MAILING ADDRESS 1300 W. Washi CITY/STATE/ZIP CODE PLOEN! X. AZ CONTACT PERSON NAME AND TITLE TELEPHONE NUMBER  (520) 586-4127	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL Feet  ZATION, OR INDIVIDUAL  N9TON 85007 E Froie CT Manager	FULL NAME OF CONTACT PERS	EWELL IS LOCATED  WELL IS LOCATED  ON PANY, GOVERNM  SS  P CODE  ON NAME AND TITLE	1/4 IENT AGENCY,	1/4	1/4
ANA.) (See Instructions.) DESIGN PUMP CAPACITY  30 Gallons Per Minute  FULL NAME OF COMPANY, ORGANIC  AZ STATE PAR K.S.  MAILING ADDRESS  1300 W. Wash  CITY/STATE/ZIP CODE  L DE N 1 X A Z  CONTACT PERSON NAME AND TITL	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL Feet  ZATION, OR INDIVIDUAL  A 5007  Froject manager (520)586-4123	FULL NAME OF C MAILING ADDRE CITY/STATE/Z CONTACT PERS	E WELL IS LOCATED  LUCY TO THE STATE OF THE	1/4 IENT AGENCY,	1/4	1/4
an AMA.) (See Instructions.) DESIGN PUMP CAPACITY  30 Gallons Per Minute  FULL NAME OF COMPANY, ORGANIA A2 STATE PARKS MAILING ADDRESS 1300 W. Wash CITY/STATE/ZIP CODE PROMITACT PERSON NAME AND TITLE TO IKE GWINN, TELEPHONE NUMBER (520) S. 86-4127	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL Feet  ZATION, OR INDIVIDUAL  A 5007  Froject manager (520)586-4123	FULL NAME OF CONTACT PERS	E WELL IS LOCATED  LUCY TO THE STATE OF THE	1/4 IENT AGENCY,	1/4	1/4
an AMA.) (See Instructions.) DESIGN PUMP CAPACITY  30 Gallons Per Minute  FULL NAME OF COMPANY, ORGANIC A2 STATE PARKS MAILING ADDRESS 1300 W. Wash CITY/STATE/ZIP CODE PARMINAL AZ CONTACT PERSON NAME AND TITLE TELEPHONE NUMBER (520) 586-4127  1. Is the proposed well site within	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL Feet  ZATION, OR INDIVIDUAL  A 5007  Froject Mayager (520)586-4123	FULL NAME OF ( MAILING ADDRE CITY/STATE/Z CONTACT PERS	E WELL IS LOCATED  SOMPANY, GOVERNM  SS  P CODE  DIN NAME AND TITLE  MBER	1/4  IENT AGENCY,	JA  OR INDIVIDUA	1/4 AL
an AMA.) (See Instructions.) DESIGN PUMP CAPACITY  30 Gallons Per Minute  FULL NAME OF COMPANY, ORGANIC  AZ STATE PARKS  MAILING ADDRESS  1300 W. Wash  CITY/STATE/ZIP CODE  LOCATION TELEPHONE NUMBER  (520) S. & G 412.7  Is the proposed well site within system, sewer disposal area, to	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL Feet  ZATION, OR INDIVIDUAL  A 5007  FOOECT MRNagel (520)586-4123  100 feet of a septic tank and fill, hazardous materials or	FULL NAME OF ( MAILING ADDRE CITY/STATE/Z CONTACT PERS	E WELL IS LOCATED  LUCY TO THE STATE OF THE	1/4  IENT AGENCY,	JA  OR INDIVIDUA	1/4 AL
an AMA.) (See Instructions.)  DESIGN PUMP CAPACITY  30 Gallons Per Minute  FULL NAME OF COMPANY, ORGANE  AZ STATE PARKS  MAILING ADDRESS  1300 W. Wash  CITY/STATE/ZIP CODE  PARKS  CONTACT PERSON NAME AND TITLE  TELEPHONE NUMBER  (520) S. & G. — 412.7  1. Is the proposed well site within system, sewer disposal area, in petroleum storage area or tank	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL Feet  ZATION, OR INDIVIDUAL  A 5007  FOOECT MRNag FR  (520)586-4123  100 feet of a septic tank andfill, hazardous materials or	COUNTY WHERI  FULL NAME OF C  MAILING ADDRE  CITY/STATE/Z  CONTACT PERS  TELEPHONE NUI  You m	EWELL IS LOCATED  LUCATED AND TOTAL  SS  P CODE  ON NAME AND TITLE  MBER  Let also request a value.	1/4  IENT AGENCY,	JA  OR INDIVIDUA	1/4 AL
an AMA.) (See Instructions.) DESIGN PUMP CAPACITY  30 Gallons Per Minute  FULL NAME OF COMPANY, ORGANIC  AZ STATE PARKS  MAILING ADDRESS  1300 W. Wash  CITY/STATE/ZIP CODE  LOCATION TELEPHONE NUMBER  (520) S. & G 412.7  Is the proposed well site within system, sewer disposal area, to	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL Feet  ZATION, OR INDIVIDUAL  A 5007  FOOECT MRNag FR  (520)586-4123  100 feet of a septic tank andfill, hazardous materials or	COUNTY WHERI  FULL NAME OF C  MAILING ADDRE  CITY/STATE/Z  CONTACT PERS  TELEPHONE NUI  You m	E WELL IS LOCATED  SOMPANY, GOVERNM  SS  P CODE  DIN NAME AND TITLE  MBER	1/4  IENT AGENCY,	JA  OR INDIVIDUA	1/4 AL
an AMA.) (See Instructions.)  DESIGN PUMP CAPACITY  30 Gallons Per Minute  FULL NAME OF COMPANY, ORGANE  AZ STATE PAR K.S.  MAILING ADDRESS  1300 W. Wash  CITY/STATE/ZIP CODE  PARENT X. AZ  CONTACT PERSON NAME AND TITLE  TELEPHONE NUMBER  (520) 586-412.7  1. Is the proposed well site within system, sewer disposal area, is petroleum storage area or tank  2. Is there another well name or in	Gallons Per Minute DISTANCE & DIRECTION FROM ORIGINAL WELL Feet  ZATION, OR INDIVIDUAL  ZATION OR INDIVI	FULL NAME OF C MAILING ADDRE CITY/STATE/Z CONTACT PERS TELEPHONE NUI  You m PLEAS V If the p	EWELL IS LOCATED  LUCATED AND TOTAL  SS  P CODE  ON NAME AND TITLE  MBER  Let also request a value.	FAX  FAX  Active Manage	1/4 OR INDIVIDUA R12-15-818	1/4   1/4

100			J. 10 18 1	V 000
84 °	1			
iliga stance	adain a	Sec. Sept.	A 30	Complete Control of the Control of t

NAME B. J. DWR LICENE 2. TELEPHONE (520) 53 MAILING ADI P. D. CITY/STATI	DC// SE NUMBER 5 NUMBER 86-32 DRESS BOX E/ZIP CODE	1ing 82	ROC LICENS	SE CATEGOR 64: A- 23-/0	v 04		Ut Co Do Mi In Mi St Re	gat gat gat gat gat gat gat gat gat gat	ion nercial estic cipal trial g	22.2.479				Trig Utili Cor Dor Mul Indi Min Sto Red Oth	mmercial mestic nicipal ustrial iing ck charge watering ner (please s	: pecify):
DEPTH	FROM	PHOENIX	DEPTI	FROM			HA.		Tail (A BRE						ISTRUCTION I	3 TO BEGIN
SURF FROM (feet)	TO (feet)	BOREHOLE DIAMETER (inches)	FROM (feet)	TO (feet)	OUTER DIAMETER (inches)	STEEL	PVC	ABS	IF OTHER TYPE, DESCRIBE	BLANK OR NONE	WIRE WRAP	SHUTTER SCREEN	MILLS KNIFE	SLOTTED	IF OTHER TYPE, DESCRIBE	GROUTING MATERIAL
01	20	926"	0'	20	7	X*		1		X						Cement
<u> </u>	<u></u>	<i></i>	20'	800'	7"	X						L.		X		
				<u>                                     </u>			$\vdash$		<u>.</u>	╁		1-	┝			
				-			Ц			┞	-	┞	<del> </del>	H		
										L						
annular sp	nace between ntment's iss	uance of an au	thorization	to drill a wel	is not a deter	mine	tion	of V	O feet of steel c	ithd in ti	rawr	n fro	m th	e we	ell is legally su of a determina	irface water or ition of surface

For the purposes of determining appropriate fees outside AMAs or INAs, "domestic purposes" is defined as "uses related to the supply, service and activities of households and private residences and includes the application of water to less than 2 acres of land to produce plants or parts of plants for sale or human consumption, or for use as feed for livestock, range livestock or poultry, as such terms are defined in A.R.S. § 3-1201."

I state that this notice is filed in compliance with A.R.S. § 45-596 and is complete and correct to	the best of my knowledge and belief.
TYPE OR PRINT NAME AND TITLE	
TYPE OR PRINT NAME AND THE	E PAONC
KENNETH E. Travous! PIRECTOR, AZ STAT	DATE
SIGNATURE OF WELL OWNER OB LANDOWNER	5/20/22
Vous rough	3/20/0-5
Lew route	5/20/04

### Notice of Intent to Drill, Deepen, Replace or Modify a Well



NAME OF WELL OWNER	COUNTY ASSESSOR'S PA BOOK	PARCEL

If this well will be a domestic well on 5 acres or less, please draw the following: (1) the boundaries of your property; (2) the proposed well location; (3) the locations of all septic tank systems and sewer systems on the property or within 100 feet of the well location, even if on neighboring properties; and (4) any permanent structures on the property that may aid in locating the well. If the parcel is vacant land or lacks a septic tank or sewer system, please indicate this.

Indicate the distance between the proposed well location and any septic tank system or sewer system.

					w S 1" =ft
			MAY MAY	<b>E I ₩ E</b> <b>2 0</b> 2003	
			PHO	ENIX AMA	
			A CANADA		
	AND CARLO TO THE	Account and the second			

COUNTY OR LOCAL AUTHORITY NAME AND TITLE	Official County or Local Seal or Stamp
COUNTY OR LOCAL AUTHORITY SIGNATURE	
TELEPHONE NUMBER DATE	

DWR 55-40 (REVISED 05/01/03) Page 3 of 3

### ARIZONA DEPARTMENT OF WATER RESOURCES

500 North 3rd Street, Phoenix, Arizona 85004 Telephone (602) 417-2470 Fax (602) 417-2422

May 22, 2003



Janet Napolitano Governor Herb Guenther Director

ARIZONA STATE PARKS 1300 W WASHINGTON PHOENIX, AZ 85007



Registration No. 55-598675 File No. D(18-20) 30 DDA Dear Well Owner:

Enclosed is a copy of the Notice of Intention (NOI) to Drill a well. This NOI, which was recently filed with this Department, is being returned to you as evidence of your compliance with ARS §45-596. The enclosed Pump Installation Completion Report is to be submitted when pump equipment is installed. The drilling card and Well Drilling Report form have been sent to your driller. He may not begin drilling until he has received the drilling card and it must be displayed on the rig during drilling. If you change drillers, you must supply this Department with the new driller's identity. Please ensure that the driller you select is licensed to drill the type of well you require. All well drillers must pass an examination proving they understand the drilling methods for that particular license, and are familiar with the laws and regulations which govern well construction in Arizona.

If it is necessary to change the location of the proposed well, immediately contact the Department of Water Resources to obtain written permission before proceeding with the drilling. A properly signed, amended drilling card must be in the possession of the driller before drilling commences at a different location than originally authorized.

ARS §45-600 requires the registered well owner to submit a Pump Installation Completion Report within thirty (30) days after the installation of pumping equipment. It also requires the driller to furnish this Department a complete and accurate Well Drillers Report and Well Log within thirty (30) days after completion of drilling. You should insist, and ensure, that both of these are done.

If in the course of drilling a new well, it is determined that the new well cannot be successfully completed as initially intended (dry hole, cave in, lost tools, etc.), the new well must be properly abandoned and a Well Abandonment Completion Report submitted per R12-15-816.F.

Per ARS §45-593 (C), the person to whom a well is registered shall notify this Department of a change in ownership of the well and/or information pertaining to the physical characteristics of the well in order to keep this well registration file current and accurate. We have enclosed a Change of Well Information Form should it be needed in the future.

Sincerely,

Shannon Reif Hydrology Division

Enclosures

# **ARIZONA DEPARTMENT OF WATER RESOURCES** GROUNDWATER MANAGEMENT SUPPORT SECTION

500 North Third Street Phoenix, Arizona 85004

THIS AUTHORIZATION SHALL BE IN POSSESSION OF THE DRILLER DURING ALL DRILL OPERATIONS

55-598675 WELL REGISTRATION NO: B-J DRILLING COMPANY, INC. AUTHORIZED DRILLER:

**LICENSE NO: 25** 

NOTICE OF INTENTION TO DRILL AN EXEMPT WELL(S) HAS BEEN FILED WITH THE DEPARTMENT BY:

WELL OWNER: ARIZONA STATE PARKS 1300 W WASHINGTON PHOENIX, AZ 85007

The well(s) is/are to be located in the:

NE % of the SE % of the SE % Section 30 Township 18 SOUTH Range 20 EAST

No. of wells in this project:

THIS AUTHORIZATION EXPIRES AT MIDNIGHT ON THE 20TH DAY OF MAY, 2004

GRØUNDWATER MANAGEMENT SUPPORT harm yes

WITHIN 30 DAYS OF COMPLETION OF DRILLING THE DRILLER MUST FILE A LOG OF THE WELI






### **Arizona Department of Water Resources** Water Management Support Section P.O. Box 458 • Phoenix, Arizona 85001-0458

(602) 417-2470 • (800) 352-8488

www.water.az.gov

\$50 FEE Notice of Intent to Drill, Deepen, Replace or Modify a Well

(except a Non-Exempt Well in an Active Management Area)



Check or money order in the amount of the appropriate filing fee. For a well located within an AMA or INA, the fee is \$150.00. For a well not located within an AMA or INA, the fee is \$50.00 if the well will be used solely for domestic purposes (see page 2 and instructions) and will have a pump with a maximum capacity of not more than 35





\$150 or

gations per minute. Otherwis  Authority for fee: A.R.S. § 45-	9, the tee is \$ 150.00. 508					44.8	
** PLEASE PRINT CLEARL	V **						160/2 of a d \$ \$140
		All of the same		مود (۱۰۰۰) و ۲۰ بادیکی کارگزارگذار مقامر است			
Market from the processed well will	be used for domestic purposes on a parce	ol of land of 5	or fewer acres	, the applic	able county o	r local neamn	aumonty
must andorse all items in Section 1	be used for domestic purposes on a parce before submission to the Department of V	Vater Resourc	es. You mus	also attacr	a site plan (	See IISULE	113/-
CHECK ONE	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	C	Higher Cot		DCBI SINGI	# <b>*            </b>	-
County or Local Health Aut	hority Recommends Approval		11171 6		. U U	크	1
(pursuant to A.R.S. § 45	-596 (G) and (F))					- 111 111	
Field Inspection P	erformed		ונטוו			111 ///	1
Site Plan Review	Only		111 13	MAY :	<b>2 0</b> 2003		İ
Insufficient Information to A	take a Determination		14 4	MILLI .	_		
COUNTY OR LOCAL AUTHOR	DITY NAME AND TITLE		1 1				
COUNTY OH LUCAL AUTHOR	BIT IMAGE AND III-		\ L-				
		COLINTY	R LOCAL A	UT <b>RUGA</b>	MANDRAK	RE _	
TELEPHONE NUMBER	DATE	00014111					
	The second of th	eralina da su	รางเรียนสมาชา	335 ST (\$5)	সংক্রি <b>র</b> ইটিক	24 [\$15 N)	
	and the later and the comment	el el égyete juda ji je n. j. Operatorous an el ji ji ji	padialikati Synytystystyjs				XV 519 1/17 EE
		M. S. Miller and B. M. S. Miller	12.22	AL AND	participat dispersion design per		
CHECK ONE	CHECK ONE	WELLLOCAL	ION ADDRESS	(IF ART)		۱ سرسوچ	اعده
Exempt	Drill New Well	Kartch	NER (RANGE (EW)	CAYE	KNS 31	AIE	ARL
	☐ Deepen	TOWNSHIP (N/S)	RANGE (EW)	SECTION	160 ACRE	40 ACRE	10 AGNE
(Pump has a maximum capacity of not more than 35 gpm and	☐ Replace	182	202	30	SEX	SE 14	NE 4
water is not used for irrigation		COURTY ASS	ESSOR'S PAR				
purposes inside an AMA.)	Modify	BOOK	I MAP		PARCEL	#OF	ACRES
(See Instructions.)	tf Deepening, Replacing or Modifying:	BOOK	"		ļ.	<b>.</b>	
☐ Non-Exempt	ORIGINAL WELL REGISTRATION NUMBER				L COM	COATION OF	MELLY
(Pump has a madmum capacity	55 -	PLACE OF W	ATER USE (ON	LY IF DIFFE	HENI FHOM	40 ACRE	10 ACRE
of more than 35 dom or water is	MAXIMUM CAPACITY OF ORIGINAL WELL	TOWNSHIP (N/S)	RANGE (EW)	SECTION	160 ACRE		
used for impation purposes inside	Gallons Per Minute			1	1/4	1/4	1/4
an AMA.) (See Instructions.)	DISTANCE & DIRECTION FROM ORIGINAL WELL	COUNTY WE	ERE WELL IS	OCATED			
DESIGN PUMP CAPACITY							
30 Gallons Per Minute	Feet						
Consider a Secretar des Artes de Secretar	and the second of the second s	And the second second	jum je godenosta divimina in pijalije je dogljego je dilije di	napa napatawa 2366 napa papawa 2366		ga en en en en en en en en en en en en en	
		The state of		er en enjouerniñ			
		FILL NAME	OF COMPANY,	GOVERNM	ENT AGENCY,	OR INDIVIDU	AL.
FULL NAME OF COMPANY, ORGAN		1022,000					
AZ STATEPARKS		1 141 1110 12	DDESS				
MAILING ADDRESS	·	MAILING AD	Unicoo				
MAILING ADDRESS  1300 W. Wash	INATON -						
CITY/STATE/ZIP CODE		CITY/STAT	E/ZIP CODE				
	0	1					

FULL NAME OF COMPANY, ORGANIZATION, OR INDIVIDUAL	FULL NAME OF COMPANY, GOVERNMENT AGENCY, OR INDIVIDUAL		
AZ STATEPARKS MAILING ADDRESS	MAILING ADDRESS		
1300 W. Washing TON CHY/STATE/ZIP CODE	CITY / STATE / ZIP CODE		
PHOENIX, AZ 85007	CONTACT PERSON NAME AND	TITLE	
MIKE GWINH, PROJECT MANAGER	TELEPHONE NUMBER	FAX	
(520)586-4127 (520)586-4123			
www.azstcu.org			

	www.azstcu.org			
RIZONA STATE PARKS			<del>2</del> 312	ance (A.A.C. R12-15-818).
ARTCHNER DEVELOPMENT	•	/ /	01-7240/3221	% · = · •

P. O. BOX 4440 520-586-4120 HUACHUCA CITY, AZ 85616

ctive Management Area, you must 55-40A.

DATE 5/20/03

91-724

Dirinking Water Resources \$ 50,00

ollars and 00/100

DOLLARS 🗗

## Kartchner Caverns 1 State Park 1

DRAFT MASTER PLAN

